

BLUE DIAMOND ATTACHMENTS

ASPHALT & CONCRETE BROCHURE



**BUILT STRONG.
ATTACHED FOR LIFE.**

BLUEDIAMONDATTACHMENTS.COM



HYDRAULIC BREAKERS

HYDRAULIC BREAKERS

SKID STEER

12 MODELS AVAILABLE
VARIETY OF TOOLS AVAILABLE

1,500^{lb} to 25,000^{lb}
100-1,200
7-32



CARRIER WEIGHT
FT/LB ENERGY CLASS
GPM FLOW (MAX)



KEY FEATURES

- ◆ 3-year warranty
- ◆ Mono-block design / no tie rods
- ◆ Anti-blank firing system hydraulic brake
- ◆ No re-gassing needed
- ◆ Only 2 internal moving parts
- ◆ 2 speed control / variable stroke
- ◆ Quiet operation
- ◆ Self-regulating
- ◆ Body bushings around piston

EXCAVATOR

1,500^{lb} to 110,000^{lb}
100-7,000
7-75



CARRIER WEIGHT
FT/LB ENERGY CLASS
GPM FLOW (MAX)



MINI

1,500^{lb} to 9,900^{lb}
100-500
7-16



CARRIER WEIGHT
FT/LB ENERGY CLASS
GPM FLOW (MAX)



BUFFER:
Avoids vibrations to host machine


QUIET:
All possible noise release point have been sealed

UPPER BUSHINGS:
Piston slides inside the bushings

The bushings avoid contact between the Monoblock and the breakers moving parts.

The Monoblock has a 10-year warranty since there is no wear

LOWER BUSHINGS:
TOOL slides inside the bushings



COLD PLANERS

COLD PLANERS

EXTREME DUTY



INDEPENDENT DEPTH
ADJUSTMENT



14" to 48" CUTTING
WIDTH
4.3" to 6.7" CUTTING
DEPTH
12-50 GPM
FLOW

KEY FEATURES


SKID STEER

- ◆ 14" to 48" grinding widths
- ◆ 4.3" to 6.7" cutting depths
- ◆ 8° tilt on all models
- ◆ Independent depth adjustment on right or left
- ◆ Milled material remains in work area
- ◆ Floating transverse tilt with damper
- ◆ Electronic side shift will move planer 25.5" from center to right (operator view)
- ◆ Pressurized water kit available - 40-gallon rooftop

MINI EXCAVATOR

- ◆ 12" & 16" grinding widths
- ◆ Up to 5" cutting depth
- ◆ Manual depth control
- ◆ Direct drive
- ◆ High drum weight = less vibration
- ◆ No case drain line required
- ◆ 5/8" thick drum tube
- ◆ Easy access tooth replacement
- ◆ Fine-cut drum available
- ◆ Water kit available

MINI EXCAVATOR



MANUAL DEPTH CONTROL

12" & 16" GRINDING
WIDTH
up to 5" CUTTING
DEPTH
12-29 GPM
FLOW



ANGLE & PICKUP BROOMS


BROOMS

SEVERE DUTY ANGLE BROOM



WATER KIT AVAILABLE

60" to 96" WORKING WIDTH
32" BRISTLES DIAMETER
30° PIVOT ANGLE



HEAVY DUTY ANGLE BROOM



WATER KIT AVAILABLE

60" to 96" WORKING WIDTH
26" BRISTLES DIAMETER
30° PIVOT ANGLE



PICKUP BROOM

WATER KIT AVAILABLE



GUTTER BRUSH AVAILABLE

60" to 96" WORKING WIDTH
26" BRISTLES DIAMETER
15-25 GPM FLOW





ROCK BUCKET GRAPPLES

ROCK BUCKET GRAPPLES

SEVERE DUTY



REMOVEABLE BOLT-ON SIDES



72"/78"/84" CUTTING WIDTH
34" OPENING HEIGHT
3/4" TOP TINE THICKNESS

HDX




UPGRADED CYLINDER PROTECTION



72" CUTTING WIDTH
33" OPENING HEIGHT
1/2" TOP TINE THICKNESS



HEAVY DUTY



GREASEABLE PIVOT POINTS



66"/72"/78"/84" CUTTING WIDTH
33" OPENING HEIGHT
1/2" TOP TINE THICKNESS

STANDARD DUTY



3" SPACING BETWEEN TINES



60"/66"/72" CUTTING WIDTH
32" OPENING HEIGHT
3/8" STEEL TINE THICKNESS



PLATE COMPACTOR & VIBRATORY ROLLER

PLATE COMPACTOR

PLATE COMPACTOR

OFFSET
MOUNT
AVAILABLE



12 HEAVY-DUTY
RUBBER SHOCKS

12"/16"/24"
5K-42K
10-44

WORKING
WIDTH
HOST
MACHINE
GPM
FLOW



VIBRATORY ROLLER

VIBRATORY ROLLER



12 HEAVY-DUTY
RUBBER SHOCKS

84"

WORKING
WIDTH

24" & 26 3/4"

DRUM
DIAMETER

SMOOTH OR PADFOOT MODELS



BUCKETS & ROAD SAWS

4-IN-1 & UTILITY BUCKETS

4-IN-1

OPTIONAL
BOLT-ON
FRONT
CUTTING
EDGE



36" to 84" WORKING
WIDTH
30" & 38 1/2" OPENING
SIZE
Tooth & Smooth CUTTING
EDGE



UTILITY - HIGH CAPACITY



72" to 96" WORKING
WIDTH
19-26 cu.ft. STRUCK
CAPACITY
Tooth & Smooth CUTTING
EDGE



HIGH CAPACITY HIGH BACK



72" to 96" WORKING
WIDTH
28" BUCKET
HEIGHT
Tooth & Smooth CUTTING
EDGE



DISPENSING & SLAB BUCKET

DISPENSING BUCKET

SHOWN: 3/4
YARD WITH
HOOK-ON
CHUTE



STANDARD
CHUTE OR
HYDRAULIC
DOOR



1/2 YARD BOLT-ON CHUTE

1/4^{yd} to 3/4^{yd} BUCKET
CAPACITY



SLAB BUCKET



3 REPLACEABLE TEETH

3/4" SIDE
THICKNESS
1" x 8" CUTTING
EDGE



ROAD SAWS

24" ROAD SAW



DEPTH GAUGE

8" to 24" CUTTING
DEPTHS
0" to 18" HYDRAULIC
SIDE SHIFT
24-42 GPM
FLOW

17" ROAD SAW



HYDRAULIC SHIDE SHIFT

6" to 17" CUTTING
DEPTHS
0" to 18" HYDRAULIC
SIDE SHIFT
21-42 GPM
FLOW





PARTS & ACCESSORIES WHEN YOU NEED THEM



SAFETY WINDOWS




AUGER BITS



BLADE KITS



BREAKER TOOLS



PALLET FORK TINES



RUBBER TRACKS



BROOM WAFERS



WIRE HARNESSES

IN STOCK & READY TO SHIP

Blue Diamond® Attachments is a U.S.-based, family-owned manufacturer that specializes in high-performance attachments for compact equipment used in construction, agriculture, landscaping, and municipal operations. The company offers a full line of brush cutters and complementary attachments designed for skid steers, mini skid steers, excavators, and tractors.



Scan to request a quote



BUILT STRONG.
ATTACHED FOR LIFE.

4512 Anderson Road | Knoxville, TN 37918
ph 888-376-7027 | fax 865-246-2007
info@bluediamondattachments.com



© 2026 Blue Diamond® Attachments.
All Rights Reserved. 01/05/2026

Revised: 02/04/26



Scan to visit
[bluediamondattachments.com](https://www.bluediamondattachments.com)