



BRUSH CUTTER ATTACHMENT GUIDE





LET'S MAKE SOMETHING CLEAR BRUSH CUTTERS ARE IN OUR DNA

When you've got job that requires a site to be prepped or cleared, you need attachments you can trust to get the job done right the first time. At Blue Diamond Attachments, we've got your back.

Our family of brush cutters are purpose built to provide optimal performance on your skid and compact track loaders, mini loaders and excavators. Providing you exactly what you need to get to the next phase of your project on – or even ahead of schedule.

So, whether the job is large, small or somewhere in between, Blue Diamond brush cutters are designed to handle it. Choose Blue Diamond – where all we do is elevate everything you do.



SKID STEER



Dual Motor



Heavy Duty



Extreme Duty Open Front



Mini Open Front



Extreme Duty Closed Front



Severe Duty



Swing Arm



Mini Closed Front



EXCAVATOR



Extreme Duty



Severe Duty



MINI EXCAVATOR



Severe Duty



Heavy Duty




84" CUTTING WIDTH

3" CUTTING DIAMETER

15-30 GPM FLOW

DUAL MOTOR




KEY FEATURES

- ◆ Two Motor Options
- ◆ Integrated Steel Push Bar
- ◆ Bi-Directional Cutting
- ◆ Greaseable Direct Drive
- ◆ Case Drain Required



**SCAN TO
LEARN
MORE.**



Two adjustable height wheels to go over uneven terrain



Four link rear chain curtains protect operator from debris



Four double-sided blades with two 1" thick blade carriers to clear large areas fast

PART NO.	103920	103930
MODEL	80CC	125CC
FLOW RANGE	15-22 GPM	23-30 GPM
CUT WIDTH	84"	84"
WEIGHT	1,865 lbs	1,865 lbs



60" & 72"

CUTTING
WIDTH


3"

CUTTING
DIAMETER

11-26

GPM
FLOW

HEAVY DUTY



KEY FEATURES


- ◆ 3 Std Flow Motor Options
- ◆ Reinforced Steel Deck
- ◆ Bi-Directional Cutting
- ◆ Greaseable Direct Drive
- ◆ No Case Drain Required




SCAN TO
LEARN
MORE.



Tapered skid shoes that allows for a closer cut



Four link rear chain curtains protect operator from debris



Three double-sided dropdown blades and steel blade carrier

PART NO.	103004	103007	103012
MODEL	80CC	100CC	160CC
FLOW RANGE	11-26 GPM	16-20 GPM	19-26 GPM
CUT WIDTH	60"	60"	72"
WEIGHT	940 lbs	1,069 lbs	1,333 lbs



60" & 72"

CUTTING
WIDTH

6" to 8"

CUTTING
DIAMETER

14-45

GPM
FLOW

EXTREME DUTY OPEN FRONT

Fully Enclosed Motor Cover

Greaseable Direct Drive

High Torque Geroler Motor

Reinforced Push Bar

4 Link Rear
Chain Curtain

Safety Chain

1/4" Reinforced
Steel Deck

Tapered Deck
Skid Shoes

Double-Sided
Dropdown Blades

3/4" Blade Carrier

KEY FEATURES


- ◆ Std and High Flow Motor Options
- ◆ External Cross-Port Motor Protection
- ◆ Forged One-Piece Spindle
- ◆ Greaseable Direct Drive
- ◆ No Case Drain Required



SCAN TO
LEARN
MORE.



Reinforced steel deck
provides strength and
durability



60" unit features three double-sided
blades on a 3/4" thick blade carrier



72" unit features four double-sided
blades on a 3/4" thick blade carrier

PART NO.	103016	103025	103017	103030	103032
MODEL	100CC Standard Flow	200CC Standard Flow	200CC High Flow	200CC High Flow	250CC High Flow
FLOW RANGE	14-22 GPM	16-26 GPM	23-40 GPM	27-35 GPM	36-45 GPM
CUT WIDTH	60"	72"	60"	72"	72"
WEIGHT	1,232 lbs	1,232 lbs	1,232 lbs	1,232 lbs	1,232 lbs



60" & 72"

CUTTING
WIDTH

6" to 8"

CUTTING
DIAMETER

14-45

GPM
FLOW

EXTREME DUTY CLOSED FRONT

Fully Enclosed
Motor Cover

Greaseable Direct Drive

High Torque Geroler Motor

Reinforced Steel Bars

Front and Rear 4 Link
Chain Curtains

3/4" Blade Carrier

1/4" Reinforced
Steel Deck

KEY FEATURES


- ◆ Std and High Flow Motor Options
- ◆ External Cross-Port Motor Protection
- ◆ Forged One-Piece Spindle
- ◆ Greaseable Direct Drive
- ◆ No Case Drain Required




SCAN TO
LEARN
MORE.



Reinforced steel deck that
stands up to a heavy workload



60" unit features three double-sided
blades on a 3/4" thick blade carrier



72" unit features four double-sided
blades on a 3/4" thick blade carrier

PART NO.	103015	103020	103023	103024
MODEL	100CC Standard Flow	160CC Standard Flow	200CC High Flow	250CC High Flow
FLOW RANGE	14-22 GPM	16-26 GPM	27-35 GPM	36-45 GPM
CUT WIDTH	60"	72"	72"	72"
WEIGHT	1,232 lbs	1,232 lbs	1,232 lbs	1,232 lbs



72"

CUTTING
WIDTH

10"


CUTTING
DIAMETER

16-45

GPM
FLOW

SKID STEER

SEVERE DUTY



KEY FEATURES


- ◆ Std and High Flow Motor Options
- ◆ Dual Redundant Motor Protection
- ◆ 500 lb Serrated Blade Carrier
- ◆ Oil-Filled Direct Drive
- ◆ Case Drain Required



SCAN TO
LEARN
MORE.



Pressure gauge helps prevent excessive stalling & overheating



Four link rear chain curtains protect operator from flying debris



Four double-sided dropdown blades on a 1" serrated blade carrier

PART NO.	103122	103127	103132
MODEL	150CC	200CC	250CC
FLOW RANGE	16-26 GPM	27-35 GPM	35-45 GPM
CUT WIDTH	72"	72"	72"
WEIGHT	2,224 lbs	2,250 lbs	2,136 lbs



44" CUTTING WIDTH

4" CUTTING DIAMETER

14-30 GPM FLOW

SWING ARM




KEY FEATURES

- ◆ High Torque Motor w/Cross-Port Relief
- ◆ Horizontal Reach 8', Vertical Reach 16'
- ◆ Universal 7/8/14 Pin Wiring Harness Compatibility
- ◆ Case Drain Required



3" x 16" tilt cylinder



8' horizontal and 16' vertical reach advantage



Two double-sided blades on a 5/8" thick blade carrier



**SCAN TO
LEARN
MORE.**

PART NO.	103870	103875
MODEL	44"	44"
FLOW RANGE	14-20 GPM	17-30 GPM
CUT WIDTH	44"	44"
WEIGHT	845 lbs	1,203 lbs



60"

CUTTING
WIDTH

6"

CUTTING
DIAMETER

22-30

GPM
FLOW


28K-38K

HOST
MACHINE



EXCAVATOR

EXTREME DUTY



KEY FEATURES

- ◆ 150CC High Flow Piston Motor
- ◆ Greaseable Direct Drive
- ◆ Bearing Seal Protection Under Deck
- ◆ Cutaway Deck Design
- ◆ Case Drain Required



**SCAN TO
LEARN
MORE.**



Removeable sides to access blades



Serrated teeth to help move debris



Three double-sided blades with a 1" thick blade carrier

PART NO.	103850
MODEL	150CC
FLOW RANGE	22-30 GPM
CUT WIDTH	60"
WEIGHT	1,790 lbs



60"

CUTTING
WIDTH

7"

CUTTING
DIAMETER

24-55

GPM
FLOW

38K-60K

HOST
MACHINE

SEVERE DUTY




KEY FEATURES


- ◆ 3 Piston Motor Options
- ◆ Bearing Seal Protection Under Deck
- ◆ Cutaway Deck Design
- ◆ 1/2" Reinforced Steel Deck
- ◆ Case Drain Required



SCAN TO
LEARN
MORE.



Removeable sides
to access blades



Serrated teeth to help
move debris



Three double-sided blades on
a 1" thick blade carrier

PART NO.	303860	303865	303867
MODEL	150CC	200CC	250CC
FLOW RANGE	24-34 GPM	35-45 GPM	45-55 GPM
CUT WIDTH	60"	60"	60"
WEIGHT	2,497 lbs	2,497 lbs	2,497 lbs



42"

CUTTING
WIDTH

6"

CUTTING
DIAMETER

16-26

GPM
FLOW

10K-21K

HOST
MACHINE

SEVERE DUTY

Oil-Filled Direct Drive

High Torque Piston Motor

Skid Plate

3/4" Blade Carrier

3/16" Steel Deck

3 - Double-Sided Blades




MINI EXCAVATOR

KEY FEATURES

- ◆ 80CC High Torque Piston Motor
- ◆ Oil-Filled Direct Drive
- ◆ Cutaway Deck Design
- ◆ Bi-Directional Cutting
- ◆ No Case Drain Required



SCAN TO
LEARN
MORE.



Open sides expose
blades for more
aggressive cutting



3/16" thick reinforced
steel deck



Three double-sided blades on
a 3/4" thick blade carrier

PART NO.	103720
MODEL	80CC
FLOW RANGE	16-26 GPM
CUT WIDTH	42"
WEIGHT	712 lbs



36"/42"/50"

CUTTING
WIDTH

4"

CUTTING
DIAMETER

13-28

GPM
FLOW

6K-15K

HOST
MACHINE

HEAVY DUTY



MINI EXCAVATOR

Greaseable Direct Drive

High Torque Hydraulic Motor

Skid Plate

Reinforced Steel Deck

Chain Curtain
on 50" Model

3 - Double-Sided AR400 Blades

3/4" Blade Carrier

KEY FEATURES


- ◆ 2 Motor Options
- ◆ 36" and 42" Have Open Deck
- ◆ 50" Has Chain Curtain
- ◆ Bi-Directional Cutting
- ◆ No Case Drain Required



SCAN TO
LEARN
MORE.



Three link chain curtain on
50" model to protect operator
from debris



36" and 42" have
deflector shields and
chain guard options



Three double-sided blades on
a 3/4" thick blade carrier

PART NO.	103600	103650	103709	103712
MODEL	80CC	80CC	80CC	100CC
FLOW RANGE	13-28 GPM	13-24 GPM	13-22 GPM	23-28 GPM
CUT WIDTH	36"	42"	50"	50"
WEIGHT	551 lbs	630 lbs	939 lbs	934 lbs




42" CUTTING WIDTH

4" CUTTING DIAMETER

11-20 GPM FLOW

OPEN FRONT



MINI SKID STEER

KEY FEATURES


- ◆ 80CC High Torque Geroler Motor
- ◆ Mini Universal and Bobcat MT Mounts Available
- ◆ Bi-Directional Cutting
- ◆ Open Front Design



**SCAN TO
LEARN
MORE.**



Open front exposes 2 1/4" of cutting blades



Three link chain on rear to protect the operator from debris



Three double-sided blades on a 3/4" thick blade carrier

PART NO.	103727
MODEL	80CC
FLOW RANGE	11-20 GPM
CUT WIDTH	42"
WEIGHT	654 lbs



36"/42"/50"

CUTTING
WIDTH


4"

CUTTING
DIAMETER

11-20

GPM
FLOW

CLOSED FRONT



High Torque Hydraulic Motor

Greaseable Direct Drive

Fully Enclosed Motor Cover

Skid Plate

1/4" Reinforced Steel Deck

Tapered Deck

3 - Double-Sided Blades

3/4" Blade Carrier

KEY FEATURES

- ◆ 80CC High Torque Geroler Motor
- ◆ Mini Universal and Bobcat MT Mounts Available
- ◆ Bi-Directional Cutting
- ◆ Closed Front Design




**SCAN TO
LEARN
MORE.**



Fully enclosed cover protects the motor from flying debris



Four link chain curtain on the front and three link chain on rear



Three double-sided blades on a 3/4" thick blade carrier

PART NO.	103715	103725	103735
MODEL	80CC	80CC	80CC
FLOW RANGE	11-20 GPM	11-20 GPM	11-20 GPM
CUT WIDTH	36"	42"	50"
WEIGHT	568 lbs	654 lbs	844 lbs



PARTS & ACCESSORIES WHEN YOU NEED THEM



SAFETY WINDOWS



BLADE KITS



WIRE HARNESSES




RUBBER TRACKS



BROOM WAFERS



AUGER BITS



PALLET FORK TINES



BREAKER TOOLS

IN STOCK & READY TO SHIP



COMPLETE ATTACHMENT SOLUTIONS

4512 Anderson Road | Knoxville, TN 37918
ph 888-376-7027 | fax 865-246-2007
info@bluediamondattachments.com | BlueDiamondAttachments.com



© 2025 Blue Diamond® Attachments. All Rights Reserved.