

BLUE DIAMOND ATTACHMENTS PRODUCT OVERVIEW



**BUILT STRONG.
ATTACHED FOR LIFE.**

BLUEDIAMONDATTACHMENTS.COM





FORESTRY & LAND CLEARING

BRUSH CUTTERS


SEVERE DUTY



72" CUTTING WIDTH
10" CUTTING DIAMETER
16-45 GPM FLOW

FOUR DOUBLE-SIDED BLADES

EXTREME DUTY OPEN FRONT




60"/72" CUTTING WIDTH
6" to 8" CUTTING DIAMETER
14-45 GPM FLOW

72" FOUR DOUBLE-SIDED BLADES

60" THREE DOUBLE-SIDED BLADES

EXTREME DUTY CLOSED FRONT



60"/72" CUTTING WIDTH
6" to 8" CUTTING DIAMETER
14-45 GPM FLOW

72" FOUR DOUBLE-SIDED BLADES

60" THREE DOUBLE-SIDED BLADES



HEAVY DUTY



60"/72" CUTTING WIDTH
3" CUTTING DIAMETER
11-26 GPM FLOW

THREE DOUBLE-SIDED BLADES

DUAL MOTOR



84" CUTTING WIDTH
3" CUTTING DIAMETER
15-30 GPM FLOW

FOUR DOUBLE-SIDED BLADES

SWING ARM



44" CUTTING WIDTH
4" CUTTING DIAMETER
14-30 GPM FLOW

TWO DOUBLE-SIDED BLADES

EXCAVATOR SEVERE DUTY



60" CUTTING WIDTH
7" CUTTING DIAMETER
24-55 GPM FLOW
38K-60K HOST MACHINE

THREE DOUBLE-SIDED BLADES

MINI EXCAVATOR SEVERE DUTY



42" CUTTING WIDTH
6" CUTTING DIAMETER
16-26 GPM FLOW
10K-21K HOST MACHINE

THREE DOUBLE-SIDED BLADES


MINI OPEN FRONT



42" CUTTING WIDTH
4" CUTTING DIAMETER
11-20 GPM FLOW

THREE DOUBLE-SIDED BLADES

EXCAVATOR EXTREME DUTY



60" CUTTING WIDTH
6" CUTTING DIAMETER
22-30 GPM FLOW
28K-38K HOST MACHINE

THREE DOUBLE-SIDED BLADES

MINI EXCAVATOR HEAVY DUTY



36"/42"/50" CUTTING WIDTH
4" CUTTING DIAMETER
13-41 GPM FLOW
6K-19K HOST MACHINE

THREE DOUBLE-SIDED BLADES

MINI CLOSED FRONT



36"/42"/50" CUTTING WIDTH
4" CUTTING DIAMETER
11-20 GPM FLOW

THREE DOUBLE-SIDED BLADES



FORESTRY & LAND CLEARING


DISC & DRUM MULCHERS



34-TOOTH BITE LIMITER DRUM

60" CUTTING WIDTH
10" CUTTING DIAMETER
35-52 GPM FLOW


SEVERE DUTY DRUM MULCHER



CARBIDE OR CHIPPING TEETH WITH BITE LIMITERS

60" CUTTING WIDTH
7" CUTTING DIAMETER
22-46 GPM FLOW

HEAVY DUTY DRUM MULCHER



TEETH ON TOP, SIDE, AND BOTTOM OF CARRIER

44"/60" CUTTING WIDTH
8" to 14" CUTTING DIAMETER
20-45 GPM FLOW

DISC MULCHER



SDX DRUM MULCHER



HYDRAULIC ADJUSTABLE DOOR

60" CUTTING WIDTH
12" CUTTING DIAMETER
45-58 GPM FLOW
49K-70K HOST MACHINE



SEVERE DUTY DRUM MULCHER



HYDRAULIC ADJUSTABLE DOOR

40"/50" CUTTING WIDTH
8" CUTTING DIAMETER
37-48 GPM FLOW
37K-49K HOST MACHINE



EXTREME DUTY DRUM MULCHER



HYDRAULIC ADJUSTABLE DOOR

40"/50" CUTTING WIDTH
7" CUTTING DIAMETER
32-45 GPM FLOW
24K-37K HOST MACHINE



HEAVY DUTY DRUM MULCHER



MANUAL ADJUSTABLE DOOR

30"/40"/50" CUTTING WIDTH
4" CUTTING DIAMETER
11-35 GPM FLOW
9K-24K HOST MACHINE





MATERIAL HANDLING

BUCKETS

4-IN-1



36" to 84" CUTTING WIDTH
2 HYDRAULIC CYLINDERS
Tooth & Smooth CUTTING EDGE




UTILITY – HIGH CAPACITY



72" to 96" CUTTING WIDTH
19-26 cu.ft. STRUCK CAPACITY
Tooth & Smooth CUTTING EDGE

HEAVY DUTY MINI LOW PROFILE




36" to 52" CUTTING WIDTH
11 cu.ft. STRUCK CAPACITY
Smooth CUTTING EDGE

OPTIONAL BOLT-ON EDGE



DISPENSING



STANDARD CHUTE OR HYDRAULIC DOOR



1/4 yd to 3/4 yd BUCKET CAPACITY

GRAPPLES

HDX GRAPPLE BUCKET



72" WORKING WIDTH
32" OPENING HEIGHT
1/2" TOP TINE THICKNESS



SEVERE DUTY GRAPPLE BUCKET



72"/78"/84" WORKING WIDTH
34 1/4" OPENING HEIGHT
3/4" TOP TINE THICKNESS

ROOT GRAPPLES

HDX



72" WORKING WIDTH
32" OPENING HEIGHT
1/2" TOP TINE THICKNESS



SEVERE DUTY

66" to 84" WORKING WIDTH
34" OPENING HEIGHT
1/2" TOP TINE THICKNESS



SEVERE DUTY MINI



54"/60" WORKING WIDTH
36" OPENING HEIGHT
3/4" STEEL TINE THICKNESS



SEVERE DUTY ROCK BUCKET GRAPPLE



72"/78"/84" WORKING WIDTH
34 1/4" OPENING HEIGHT
1/2" STEEL TINE THICKNESS



HEAVY DUTY ROCK BUCKET GRAPPLE



66"/72"/78" WORKING WIDTH
32" OPENING HEIGHT
3/8" STEEL TINE THICKNESS



SEVERE DUTY GRAPPLE RAKE



72"/78"/84" WORKING WIDTH
58" OPENING HEIGHT
3/4" STEEL TINE THICKNESS



HEAVY DUTY GRAPPLE RAKE



63"/72"/84" WORKING WIDTH
51" OPENING HEIGHT
1/2" STEEL TINE THICKNESS



MATERIAL HANDLING

FORKS & GRAPPLES

WALK-THROUGH PALLET FORK



48"/60"/72" TINE
LENGTH
4,200^{lb}/5,000^{lb} LIFT
CAPACITY



WALK-THROUGH CLASS 3 PALLET FORK



48" to 96" TINE
LENGTH
10,000^{lb} LIFT
CAPACITY

SEVERE DUTY HYDRAULIC PALLET FORK



48"/60"/72" TINE
LENGTH
6,000^{lb} LIFT
CAPACITY

HEAVY DUTY HYDRAULIC PALLET FORK



48" & 60" TINE
LENGTH
4,000^{lb} LIFT
CAPACITY



STANDARD & HEAVY DUTY PALLET FORKS



42" to 72" TINE
LENGTH
3,700^{lb} to 5,000^{lb} LIFT
CAPACITY



LIGHT DUTY PALLET FORK



42"/36"/48" TINE
LENGTH
2,000^{lb} LIFT
CAPACITY



LOW PROFILE MINI FORK



36"/42"/48" TINE
LENGTH
3,000^{lb} LIFT
CAPACITY



MAT GRAPPLE FORK



48"/60"/72" TINE
LENGTH
4,000^{lb} LIFT
CAPACITY



GRAPPLE FORKS



HEAVY DUTY

SEVERE DUTY

48" to 84" TINE
LENGTH
4,000^{lb}/10,000^{lb} LIFT
CAPACITY



LOG GRAPPLE



62" OPENING
WIDTH
2,500^{lb} LIFT
CAPACITY

MANUAL & HYDRAULIC ROTATION



SEVERE DUTY MAT GRAPPLE FORK



48" to 72" TINE
LENGTH
10,000^{lb} LIFT
CAPACITY



CONCRETE & ASPHALT

COLD PLANERS & PLATE COMPACTORS

EXTREME DUTY COLD PLANER



WATER KIT AVAILABLE

14" to 48"
up to 5"
12-50

WORKING WIDTH
CUTTING DEPTH
GPM FLOW



MINI EX COLD PLANER



12"/16"
up to 5"
12-29

WORKING WIDTH
CUTTING DEPTH
GPM FLOW



EXCAVATOR PLATE COMPACTOR

PLATE SIZES:
12"W X 24"L
16"W X 32"L
24"W X 48"L



12"/16"/24"
5K-42K
10-44

WORKING WIDTH
HOST MACHINE
GPM FLOW



BROOMS & VIBRATORY ROLLERS

PICKUP BROOM



WATER KIT AVAILABLE

42" to 96"
26"
15-25

WORKING WIDTH
BRISTLES DIAMETER
GPM FLOW



PUSH BROOMS




STANDARD, HEAVY DUTY & MINI

60" to 96"
8-11

WORKING WIDTH
ROWS OF BRISTLES



SEVERE DUTY ANGLE BROOM



60" to 96"
32"
30°

WORKING WIDTH
BRISTLES DIAMETER
PIVOT ANGLE



HEAVY DUTY ANGLE BROOM



48" to 96"
26"
30°

WORKING WIDTH
BRISTLES DIAMETER
PIVOT ANGLE



VIBRATORY ROLLER



84"
24" & 26 3/4"

WORKING WIDTH
DRUM DIAMETER

SMOOTH OR PADFOOT MODELS



BREAKERS & ROAD SAWS

HYDRAULIC BREAKER




1,500^{lb}-110,000^{lb}
100-7,000
7-75

CARRIER WEIGHT
FT/LB ENERGY CLASS
GPM FLOW (MAX)
12 MODELS AVAILABLE



MINI BREAKER



1,500^{lb}-9,900^{lb}
100-500
7-16

CARRIER WEIGHT
FT/LB ENERGY CLASS
GPM FLOW (MAX)



EXTREME DUTY ROAD SAW



6" to 24"
2" to 8"
27-45

CUTTING DEPTH
CUTTING WIDTH
GPM FLOW (MAX)





FARM & AGRICULTURE

ROTARY TRACTOR CUTTERS & HAY SPEARS

HEAVY DUTY



5'6'/7' CUTTING WIDTH
3" CUTTING DIAMETER
35-95^{hp} HOST MACHINE

MEDIUM DUTY



7' CUTTING WIDTH
2" CUTTING DIAMETER
45-90^{hp} HOST MACHINE

STANDARD DUTY



4'5'/6' CUTTING WIDTH
1" CUTTING DIAMETER
18-60^{hp} HOST MACHINE



SPINDLE CUTTER HEAVY DUTY LIFT-TYPE



DEPTH ADJUSTMENT

8' & 10' CUTTING WIDTH
3" CUTTING CAPACITY
42+ & 52+^{hp} HOST MACHINE




FLEX-WING ROTARY CUTTERS




WING LOCKOUT

12' & 15' CUTTING WIDTH
2" & 4" CUTTING CAPACITY
35+ & 55+^{hp} HOST MACHINE (MINIMUM)



HAY SPEARS



BOLT-ON RACK AVAILABLE

3,500^{lb} TINE RATING (EACH)

SINGLE, DOUBLE & QUAD SPEARS AVAILABLE

TRACTOR MOWERS



THREE OVERLAPPING
HEAT TREATED BLADES

48" to 84" CUTTING WIDTH
1" to 4" CUTTING HEIGHT
20-50^{hp} HOST MACHINE



FINISHING MOWER



FLAIL MOWER



FORGED HAMMER BLADES

69" to 98" CUTTING WIDTH
1 1/2" CUTTING CAPACITY
40-100^{hp} HOST MACHINE



FARM & AGRICULTURE

LAND GRADERS & BLADES

HEAVY DUTY LAND GRADER

OPTIONAL LASER KIT



84"
19"
55+hp

WORKING
WIDTH
BOX
HEIGHT
HOST
MACHINE



GRADER BLADE



72"/84"/96"
6"
45-75hp

WORKING
WIDTH
CUTTING
EDGES
HOST
MACHINE

SIX-WAY DOZER BLADE



72"/84"/96"
10°/30°
50+hp

WORKING
WIDTH
TILT/
ANGLE
HOST
MACHINE

HEAVY DUTY BOX BLADE SCRAPER



48" to 96"
17"
15-70hp

WORKING
WIDTH
MOLDBOARD
HEIGHT
HOST
MACHINE

ROTOTILLERS

ROTOTILLER



68"/76"
6"/8"
15-23

WORKING
WIDTH
TILLING
DEPTH
GPM
FLOW

MINI ROTOTILLER



48"/56"
6"
12

WORKING
WIDTH
TILLING
DEPTH
GPM
FLOW (MIN)

TRACTOR ROTOTILLER



48"/60"/72"/84"
up to 8"
20-65hp

WORKING
WIDTH
TILLING
DEPTH
HOST
MACHINE

MOUNTS

3-POINT CONVERSION ADAPTER




Cat 1 & 2 ADAPTER
OPTIONS

UNIVERSAL MOUNT PLATE



1/4" & 1/2" PLATE
THICKNESS

TRAILER SPOTTER



3,500^{lb} MAX
CAPACITY
2" TRAILER
HITCH SIZE

CONVERSION INTERFACE



Deere 400/500 HOST
MACHINE
Skid Steer ATTACHMENT
MOUNT



LANDSCAPING & CONSTRUCTION

TRENCHERS & NURSERY FORKS

SEVERE DUTY TRENCHER



60" CUTTING DEPTH
28-45 GPM FLOW

EXTREME DUTY TRENCHER



48" CUTTING DEPTH
16-30 GPM FLOW

MINI TRENCHER



36" CUTTING DEPTH
10-25 GPM FLOW

SOD ROLLER



36"/42"/50" WORKING WIDTH
32"/40" ARMS LENGTH



NURSERY FORKS



SEVERE DUTY



STANDARD DUTY



43"/54"/60" OPENING HEIGHT
2,500^{lb} & 3,000^{lb} LIFT CAPACITY

TREE BOOMS

SEVERE DUTY TREE BOOM



78" OVERALL LENGTH
59" ADDED REACH
6,000^{lb} LIFT CAPACITY

HEAVY DUTY TREE BOOM



75" OVERALL LENGTH
56" ADDED REACH
5,000^{lb} LIFT CAPACITY

MINI TREE BOOM



60" OVERALL LENGTH
48" ADDED REACH
2,500^{lb} LIFT CAPACITY

STUMP BUCKETS & TREE REMOVAL

STUMP BUCKET



56" OVERALL LENGTH
12" OVERALL WIDTH
3 REPLACEABLE TEETH

HEAVY DUTY TREE PULLERS



11" OPENING WIDTH
4 ROWS OF TEETH
8" MAX TREE DIAMETER

STANDARD DUTY TREE PULLERS



11" OPENING WIDTH
2 ROWS OF TEETH
8" MAX TREE DIAMETER

TREE SHEAR



12" MAX TREE DIAMETER
29 CUTTING FORCE (TONS)



LANDSCAPING & CONSTRUCTION

POWER RAKES & ROCK RAKES

EXTREME DUTY POWER RAKE



HYDRAULIC ANGLE KIT AND SKID SHOES ARE OPTIONAL

48" to 96"

WORKING WIDTH

6"

ROTOR DIAMETER

15-26

GPM FLOW



STANDARD DUTY POWER RAKE



48"/60"/72"

WORKING WIDTH

7"

DRUM DIAMETER

8-20

GPM FLOW

MANUAL & HYDRAULIC ANGLE



HYDRAULIC ROCK RAKE



68"

WORKING WIDTH

3/4" to 8"

DEBRIS SIZE

13-23

GPM FLOW



AUGERS & VIBRATORY POST DRIVERS

EXTREME DUTY AUGER



3,500psi

MAX PRESSURE

2" & 2 1/2"

HEX SHAFT

6-36

GPM FLOW

8 MODELS AVAILABLE



MINI AUGER



3,500psi

MAX PRESSURE

2"

HEX SHAFT

12-23

GPM FLOW



VIBRATORY POST DRIVER



4" to 12"

POST ADAPTERS

7-26

GPM FLOW



STUMP GRINDERS

EXTREME DUTY STUMP GRINDER

6-WAY CUTTER



6 MOTOR OPTIONS

24"/26"

CUTTING WHEEL

24/30

NO. OF TEETH

16-45

GPM FLOW

HIGH & STANDARD FLOW



SWING ARM STUMP GRINDER



3 MOTOR OPTIONS

26"

CUTTING WHEEL

32

NO. OF TEETH

29-45

GPM FLOW



MINI STUMP GRINDER



24"

CUTTING WHEEL

24

NO. OF TEETH

16-20

GPM FLOW





SNOW ATTACHMENTS

SNOW BLOWERS & PUSHERS

SNOW BLOWERS



HEAVY DUTY



EXTREME DUTY

62" to 96"
31" & 32"
14-40

WORKING
WIDTH
HOUSING
HEIGHT
GPM
FLOW



SNOW PUSHERS



STANDARD DUTY



HEAVY DUTY


42" to 120"
35"

AVAILABLE
WIDTHS
MOLDBOARD
HEIGHT



SNOW BLADES

AUTOWING SNOW PLOW BLADE



103"
29"
25°

WORKING
WIDTH
BLADE
HEIGHT
PIVOT
ANGLE



MULTI-PURPOSE BLADES



HEAVY DUTY



STANDARD DUTY

48" to 120"
22"/28"
30°

WORKING
WIDTH
BLADE
HEIGHT
PIVOT
ANGLE



SNOW & MULCH BUCKETS

HIGH BACK BUCKET



60" to 102"

WIDTHS
AVAILABLE

STANDARD OR HEAVY DUTY



1-YARD BUCKET



48" & 60"

WIDTHS
AVAILABLE

3/16" & 1/4"

METAL
WRAP



STANDARD & HEAVY DUTY BUCKET



60" to 102"

WIDTHS
AVAILABLE

3/16" & 1/4"

METAL
WRAP





PARTS & ACCESSORIES WHEN YOU NEED THEM



SAFETY WINDOWS




AUGER BITS



BLADE KITS



BREAKER TOOLS



PALLET FORK TINES



RUBBER TRACKS



BROOM WAFERS



WIRE HARNESSES

IN STOCK & READY TO SHIP

Blue Diamond® Attachments is a U.S.-based, family-owned manufacturer that specializes in high-performance attachments for compact equipment used in construction, agriculture, landscaping, and municipal operations. The company offers a full line of brush cutters and complementary attachments designed for skid steers, mini skid steers, excavators, and tractors.



Scan to request a quote



BUILT STRONG.
ATTACHED FOR LIFE.

4512 Anderson Road | Knoxville, TN 37918
ph 888-376-7027 | fax 865-246-2007
info@bluediamondattachments.com



© 2025 Blue Diamond® Attachments.
All Rights Reserved. 11/12/2025



Scan to visit
bluediamondattachments.com