

BLUE DIAMOND ATTACHMENTS PRODUCT OVERVIEW



ATTACHMENTS – IT'S ALL WE DO.

Ready to be a Cut Above?
Visit us at bluediamondattachments.com or call 888-376-7027.






FORESTRY & LAND CLEARING

BRUSH CUTTERS


SEVERE DUTY




Four double-sided blades

72" CUTTING WIDTH
10" CUTTING DIAMETER
16-45 GPM FLOW

EXTREME DUTY OPEN FRONT



72" four double-sided blades




60" three double-sided blades

60"/72" CUTTING WIDTH
6" to 8" CUTTING DIAMETER
14-45 GPM FLOW

EXTREME DUTY CLOSED FRONT



72" four double-sided blades



60" three double-sided blades

60"/72" CUTTING WIDTH
6" to 8" CUTTING DIAMETER
14-45 GPM FLOW



HEAVY DUTY



Three double-sided blades

60"/72" CUTTING WIDTH
3" CUTTING DIAMETER
11-26 GPM FLOW

DUAL MOTOR



Four double-sided blades

84" CUTTING WIDTH
3" CUTTING DIAMETER
15-30 GPM FLOW

SWING ARM



Two double-sided blades

44" CUTTING WIDTH
4" CUTTING DIAMETER
14-30 GPM FLOW

SEVERE DUTY



Three double-sided blades

60" CUTTING WIDTH
7" CUTTING DIAMETER
24-55 GPM FLOW
38K-60K HOST MACHINE




EXTREME DUTY



Three double-sided blades

60" CUTTING WIDTH
6" CUTTING DIAMETER
22-30 GPM FLOW
28K-38K HOST MACHINE

SEVERE DUTY




Three double-sided blades

42" CUTTING WIDTH
6" CUTTING DIAMETER
16-26 GPM FLOW
10K-21K HOST MACHINE



HEAVY DUTY



Three double-sided blades

36"/42"/50" CUTTING WIDTH
4" CUTTING DIAMETER
13-28 GPM FLOW
6K-15K HOST MACHINE

MINI OPEN FRONT



Three double-sided blades

42" CUTTING WIDTH
4" CUTTING DIAMETER
11-20 GPM FLOW



MINI CLOSED FRONT



Three double-sided blades

36"/42"/50" CUTTING WIDTH
4" CUTTING DIAMETER
11-20 GPM FLOW



FORESTRY & LAND CLEARING


DISC & DRUM MULCHERS



34-Tooth Bite Limiter Drum

60" CUTTING WIDTH
10" CUTTING DIAMETER
35-52 GPM FLOW

SEVERE DUTY DRUM MULCHER



Carbide or Chipping Teeth with Bite Limiters

60" CUTTING WIDTH
7" CUTTING DIAMETER
26-46 GPM FLOW

HEAVY DUTY DRUM MULCHER



Teeth on top, side, and bottom of carrier

44"/60" CUTTING WIDTH
5" CUTTING DIAMETER
20-45 GPM FLOW

DISC MULCHER



SDX DRUM MULCHER



Hydraulic Adjustable Door

60" CUTTING WIDTH
12" CUTTING DIAMETER
45-58 GPM FLOW
49K-70K HOST MACHINE



SEVERE DUTY DRUM MULCHER



Hydraulic Adjustable Door

40"/50" CUTTING WIDTH
8" CUTTING DIAMETER
37-48 GPM FLOW
37K-49K HOST MACHINE



EXTREME DUTY DRUM MULCHER



Hydraulic Adjustable Door

40"/50" CUTTING WIDTH
7" CUTTING DIAMETER
32-45 GPM FLOW
24K-37K HOST MACHINE



HEAVY DUTY DRUM MULCHER



Manual Adjustable Door

30"/40"/50" CUTTING WIDTH
4" CUTTING DIAMETER
11-35 GPM FLOW
9K-24K HOST MACHINE





MATERIAL HANDLING

BUCKETS

4-IN-1



36" to 84" CUTTING WIDTH
2 HYDRAULIC CYLINDERS
Tooth & Smooth CUTTING EDGE



UTILITY – HIGH CAPACITY



72" to 96" CUTTING WIDTH
19-26 cu.ft. STRUCK CAPACITY
Tooth & Smooth CUTTING EDGE

HEAVY DUTY MINI LOW PROFILE



OPTIONAL BOLT-ON EDGE

36" to 52" CUTTING WIDTH
11 cu.ft. STRUCK CAPACITY
Smooth CUTTING EDGE



DISPENSING



STANDARD CHUTE OR HYDRAULIC DOOR



1/4 yd to 3/4 yd BUCKET CAPACITY

GRAPPLES

HDX GRAPPLE BUCKET



72" WORKING WIDTH
32" OPENING HEIGHT
1/2" TOP TINE THICKNESS



SEVERE DUTY GRAPPLE BUCKET



60" to 84" WORKING WIDTH
34 1/4" OPENING HEIGHT
3/4" TOP TINE THICKNESS

ROOT GRAPPLES

HDX



72" WORKING WIDTH
32" OPENING HEIGHT
1/2" TOP TINE THICKNESS



EXTREME DUTY

72" to 96" WORKING WIDTH
59" OPENING HEIGHT
1/2" TOP TINE THICKNESS



SEVERE DUTY MINI



54"/60" WORKING WIDTH
36" OPENING HEIGHT
3/4" STEEL TINE THICKNESS



SEVERE DUTY ROCK BUCKET GRAPPLE



72"/78"/84" WORKING WIDTH
34 1/4" OPENING HEIGHT
3/8" STEEL TINE THICKNESS



HEAVY DUTY ROCK BUCKET GRAPPLE



66"/72"/78" WORKING WIDTH
32" OPENING HEIGHT
1/2" STEEL TINE THICKNESS



SEVERE DUTY GRAPPLE RAKE



72"/78"/84" WORKING WIDTH
32" OPENING HEIGHT
3/4" STEEL TINE THICKNESS



HEAVY DUTY GRAPPLE RAKE



63" to 84" WORKING WIDTH
52"/58" OPENING HEIGHT
1/2" STEEL TINE THICKNESS



MATERIAL HANDLING

FORKS & GRAPPLES

WALK-THROUGH PALLET FORK



48" to 72" TINE
LENGTH
4,200^{lb}/5,000^{lb} LIFT
CAPACITY



WALK-THROUGH CLASS 3 PALLET FORK



48" to 96" TINE
LENGTH
10,000^{lb} LIFT
CAPACITY

SEVERE DUTY HYDRAULIC PALLET FORK



48" to 72" TINE
LENGTH
6,000^{lb} LIFT
CAPACITY



HEAVY DUTY HYDRAULIC PALLET FORK



48" to 72" TINE
LENGTH
4,000^{lb} LIFT
CAPACITY



STANDARD & HEAVY DUTY PALLET FORKS



42" to 72" TINE
LENGTH
3,700^{lb} to 5,000^{lb} LIFT
CAPACITY

LIGHT DUTY PALLET FORK



42" to 48" TINE
LENGTH
2,000^{lb} LIFT
CAPACITY

LOW PROFILE MINI FORK



36"/48" TINE
LENGTH
3,000^{lb} LIFT
CAPACITY

MAT GRAPPLE FORK



48" to 84" TINE
LENGTH
4,000^{lb} LIFT
CAPACITY

GRAPPLE FORKS



HEAVY DUTY

SEVERE DUTY



48" to 96" TINE
LENGTH
4,000^{lb}/10,000^{lb} LIFT
CAPACITY

LOG GRAPPLE



62" OPENING
WIDTH
2,500^{lb} LIFT
CAPACITY
MANUAL & HYDRAULIC ROTATION

SEVERE DUTY MAT GRAPPLE FORK



48" to 72" TINE
LENGTH
10,000^{lb} LIFT
CAPACITY



CONCRETE & ASPHALT

COLD PLANERS & PLATE COMPACTORS

EXTREME DUTY COLD PLANER



WATER KIT
AVAILABLE

14" to 48" WORKING
WIDTH
up to 5" CUTTING
DEPTH
12-50 GPM
FLOW



MINI EX COLD PLANER



12" to 16" WORKING
WIDTH
up to 5" CUTTING
DEPTH
12-29 GPM
FLOW



EXCAVATOR PLATE COMPACTOR



12" to 24" WORKING
WIDTH
5K-22K HOST
MACHINE
24" X 12" / 32" X 16" PLATE
SIZE



BROOMS & VIBRATORY ROLLERS

PICKUP BROOM



WATER KIT
AVAILABLE

60" to 96" WORKING
WIDTH
26" BRISTLES
DIAMETER
15-25 GPM
FLOW



PUSH BROOMS



STANDARD, HEAVY DUTY & MINI

60" to 96" WORKING
WIDTH
8-11 ROWS OF
BRISTLES



SEVERE DUTY ANGLE BROOM



60" to 96" WORKING
WIDTH
32" BRISTLES
DIAMETER
30° PIVOT
ANGLE



HEAVY DUTY ANGLE BROOM



36" to 96" WORKING
WIDTH
26" BRISTLES
DIAMETER
30° PIVOT
ANGLE



VIBRATORY ROLLER



73"/84" WORKING
WIDTH
24"/26 3/4" DRUM
DIAMETER



SMOOTH OR PADFOOT MODELS

BREAKERS & ROAD SAWS

HYDRAULIC BREAKER



4,000lb-70,000lb CARRIER
WEIGHT
400-4,000 FT/LB ENERGY
CLASS
13-53 GPM (MAX)
FLOW
12 MODELS AVAILABLE



MINI BREAKER



1,500lb-4,000lb CARRIER
WEIGHT
100-200 FT/LB ENERGY
CLASS
4-11 GPM (MAX)
FLOW



ROAD SAW



10" to 18" CUTTING
DEPTH
2.5" to 6" CUTTING
WIDTH
27-32 GPM (MAX)
FLOW





FARM & AGRICULTURE

ROTARY TRACTOR CUTTERS & HAY SPEARS

HEAVY DUTY



5'/6'/7' CUTTING WIDTH
3" CUTTING CAPACITY
35-95^{hp} HOST MACHINE



MEDIUM DUTY



7' CUTTING WIDTH
2" CUTTING CAPACITY
45-90^{hp} HOST MACHINE



STANDARD DUTY



4'/5'/6' CUTTING WIDTH
1" CUTTING CAPACITY
18-60^{hp} HOST MACHINE



SPINDLE CUTTER HEAVY DUTY LIFT-TYPE



Depth Adjustment

8' & 10' CUTTING WIDTH
3" CUTTING CAPACITY
42-52^{hp} HOST MACHINE



FLEX-WING ROTARY CUTTERS




Wing Lockout

12' & 15' CUTTING WIDTH
2 1/4" CUTTING CAPACITY
35-55^{hp} HOST MACHINE (MINIMUM)



HAY SPEARS



Bolt-On Rack Available

3.500^{lb} TINE RATING (EACH)
 Single, double & quad spears available

TRACTOR MOWERS



Adjustable Cutting Depth

4' to 7' CUTTING WIDTH
1" to 4" CUTTING HEIGHT
20-50^{hp} HOST MACHINE



FINISHING MOWER



FLAIL MOWER



Rear Anti-Scalp Roller

69"/81"/87" CUTTING WIDTH
1 1/2" CUTTING CAPACITY
35-100^{hp} HOST MACHINE



FARM & AGRICULTURE

LAND GRADERS & BLADES

HEAVY DUTY LAND GRADER

OPTIONAL LASER KIT



84" WORKING WIDTH
19" BOX HEIGHT
55+hp HOST MACHINE



GRADER BLADE



72"/84"/96" WORKING WIDTH
7" MOLDBOARD HEIGHT
45-75hp HOST MACHINE

SIX-WAY DOZER BLADE



72"/84"/96" WORKING WIDTH
10°/30° TILT/ANGLE
50+hp HOST MACHINE

HEAVY DUTY BOX BLADE SCRAPER



72"/84"/96" WORKING WIDTH
6" CUTTING EDGES
30-70hp HOST MACHINE

ROTOTILLERS

ROTOTILLER



68"/76" WORKING WIDTH
6"/8" TILLING DEPTH
15-23 GPM FLOW

MINI ROTOTILLER



48"/56" WORKING WIDTH
6" TILLING DEPTH
12 GPM FLOW (MIN)

TRACTOR ROTOTILLER



48"/60"/72"/84" WORKING WIDTH
up to 8" TILLING DEPTH
20-65hp HOST MACHINE

MOUNTS

3-POINT CONVERSION ADAPTER



Cat 1 & 2 ADAPTER OPTIONS

UNIVERSAL MOUNT PLATE



1/4" & 1/2" PLATE THICKNESS

TRAILER SPOTTER



3,500lb MAX CAPACITY
2" TRAILER HITCH SIZE

CONVERSION INTERFACE



Deere 400/500 HOST MACHINE
Skid steer ATTACHMENT MOUNT



LANDSCAPING & CONSTRUCTION

TRENCHERS & NURSERY FORKS

SEVERE DUTY TRENCHER



48"/60" CUTTING DEPTH
28-45 GPM FLOW

EXTREME DUTY TRENCHER



36"/48" CUTTING DEPTH
16-30 GPM FLOW

MINI TRENCHER



36" CUTTING DEPTH
10-25 GPM FLOW

SOD ROLLER



36"/42"/50" WORKING WIDTH
32"/40" ARMS LENGTH



NURSERY FORKS



SEVERE DUTY



STANDARD DUTY



43"/54"/60" OPENING HEIGHT
2,500lb & 3,000lb LIFT CAPACITY

TREE BOOMS

SEVERE DUTY TREE BOOM



78" OVERALL LENGTH
59" ADDED REACH
6,000lb LIFT CAPACITY

HEAVY DUTY TREE BOOM



75" OVERALL LENGTH
56" ADDED REACH
5,000lb LIFT CAPACITY

MINI TREE BOOM



60" OVERALL LENGTH
48" ADDED REACH
2,500lb LIFT CAPACITY

STUMP BUCKET & TREE REMOVAL

STUMP BUCKET



56" OVERALL LENGTH
12" OVERALL WIDTH
3 REPLACEABLE TEETH

HEAVY DUTY TREE PULLERS



11" OPENING WIDTH
2 ROWS OF TEETH
8" MAX TREE DIAMETER

STANDARD DUTY TREE PULLERS



11" OPENING WIDTH
4 ROWS OF TEETH
8" MAX TREE DIAMETER

TREE SHEAR



12" MAX TREE DIAMETER
29 CUTTING FORCE (TONS)



LANDSCAPING & CONSTRUCTION

POWER RAKES & ROCK RAKE

EXTREME DUTY POWER RAKE



48" to 96" WORKING WIDTH
6 3/4" DRUM DIAMETER
18-26 GPM FLOW

MANUAL & HYDRAULIC ANGLE



STANDARD DUTY POWER RAKE



48"/60"/72" WORKING WIDTH
7" DRUM DIAMETER
8-20 GPM FLOW

MANUAL & HYDRAULIC ANGLE



HYDRAULIC ROCK RAKE



68" WORKING WIDTH
3/4" to 8" DEBRIS SIZE
13-23 GPM FLOW



AUGERS & VIBRATORY POST DRIVER

EXTREME DUTY AUGER



3,500psi MAX PRESSURE
2" & 2 1/2" HEX SHAFT
8-23 GPM FLOW

8 MODELS AVAILABLE



MINI AUGER



3,500psi MAX PRESSURE
2" HEX SHAFT
12-23 GPM FLOW



VIBRATORY POST DRIVER



4" to 12" POST ADAPTERS
7-26 GPM FLOW



STUMP GRINDERS

EXTREME DUTY STUMP GRINDER

6-WAY CUTTER



6 MOTOR OPTIONS

24"/26" CUTTING WHEEL
24/30 NO. OF TEETH
16-45 GPM FLOW

HIGH & STANDARD FLOW



SWING ARM STUMP GRINDER



3 MOTOR OPTIONS

26" CUTTING WHEEL
32 NO. OF TEETH
29-45 GPM FLOW



MINI STUMP GRINDER



24" CUTTING WHEEL
24 NO. OF TEETH
16-20 GPM FLOW





SNOW ATTACHMENTS

SNOW BLOWERS & PUSHERS

SNOW BLOWERS



HEAVY DUTY



EXTREME DUTY

62" to 96" WORKING WIDTH
4 & 5 BLADE FANS
14-40 GPM FLOW



SNOW PUSHERS



STANDARD DUTY



HEAVY DUTY

60" to 120" AVAILABLE WIDTHS
1/4" SIDE PLATE THICKNESS



SNOW BLADES

AUTOWING SNOW PLOW BLADE



103" WORKING WIDTH
29" BLADE HEIGHT
25° PIVOT ANGLE



MULTI-PURPOSE BLADES



HEAVY DUTY



STANDARD DUTY

48" to 120" WORKING WIDTH
22"/28" BLADE HEIGHT
30° PIVOT ANGLE



SNOW & MULCH BUCKETS

HIGH BACK BUCKET



60" to 102" WIDTHS AVAILABLE
STANDARD OR HEAVY DUTY



1-YARD BUCKET



48" & 60" WIDTHS AVAILABLE
3/16" / 1/4" METAL WRAP



STANDARD & HEAVY DUTY BUCKET



60" to 102" WIDTHS AVAILABLE
3/16" / 1/4" METAL WRAP





PARTS & ACCESSORIES WHEN YOU NEED THEM



SAFETY WINDOWS




AUGER BITS



BLADE KITS



BREAKER TOOLS



PALLET FORK TINES



RUBBER TRACKS



BROOM WAFERS



WIRE HARNESSES

IN STOCK & READY TO SHIP

Blue Diamond® Attachments is a U.S.-based, family-owned manufacturer that specializes in high-performance attachments for compact equipment used in construction, agriculture, landscaping, and municipal operations. The company offers a full line of brush cutters and complementary attachments designed for skid steers, mini skid steers, excavators, and tractors.

4512 Anderson Road | Knoxville, TN 37918
ph 888-376-7027 | fax 865-246-2007
info@bluediamondattachments.com



© 2025 Blue Diamond® Attachments. All Rights Reserved.

06/19/2025



Scan to visit
bluediamondattachments.com