

BLUE DIAMOND ATTACHMENTS BRUSH CUTTER BROCHURE



**BUILT STRONG.
ATTACHED FOR LIFE.**

BLUEDIAMONDATTACHMENTS.COM





LET'S MAKE SOMETHING CLEAR BRUSH CUTTERS ARE IN OUR DNA

When you've got a job that requires a site to be prepped or cleared, you need attachments you can trust to get the job done right the first time. At Blue Diamond Attachments, we've got your back.

Our family of brush cutters are purpose built to provide optimal performance on your skid and compact track loaders, mini loaders, and excavators. Providing you exactly what you need to get to the next phase of your project on – or even ahead of schedule.

So, whether the job is large, small or somewhere in between, Blue Diamond brush cutters are designed to handle it. Choose Blue Diamond – where all we do is elevate everything you do.

MEET THE BRUSH CUTTER FAMILY



SKID STEER



Severe Duty



Extreme Duty Open Front



Swing Arm



MINI SKID STEER



Mini Open Front



Extreme Duty Closed Front



Heavy Duty Open Front



Heavy Duty Closed Front



Dual Motor



Mini Closed Front



EXCAVATOR



Severe Duty



Extreme Duty



MINI EXCAVATOR




Severe Duty



Heavy Duty


72"
**CUTTING
WIDTH**
10"
**CUTTING
DIAMETER**
16-45
**GPM
FLOW**

SEVERE DUTY



KEY FEATURES

- ◆ Std and High Flow Motor Options
- ◆ Dual Redundant Motor Protection
- ◆ 500 lb Serrated Blade Carrier
- ◆ Oil-Filled Direct Drive
- ◆ Case Drain Required



**SCAN TO
LEARN
MORE.**



Pressure gauge helps prevent excessive stalling and overheating



Four-link rear chain curtains protect operator from flying debris



Four dropdown blades on a 1" serrated blade carrier

PART NO.	103122	103127	103132	203025-KIT
MODEL	150CC	200CC	250CC	72" Extreme Duty Blade Kit (4 Blades with Hardware)
FLOW RANGE	16-26 GPM	27-35 GPM	35-45 GPM	—
CUT WIDTH	72"	72"	72"	—
WEIGHT	2,224 lbs	2,250 lbs	2,136 lbs	68 lbs



60" & 72"

CUTTING
WIDTH

6" to 8"

CUTTING
DIAMETER

14-45

GPM
FLOW

EXTREME DUTY OPEN FRONT

Fully Enclosed Motor Cover

Greaseable Direct Drive

High Torque Geroler Motor

Reinforced Push Bar

4 Link Rear
Chain Curtain

Safety Chain

1/4" Reinforced
Steel Deck

Tapered Deck
Skid Shoes

Double-Sided
Dropdown Blades

3/4" Blade Carrier

KEY FEATURES


- ◆ Std and High Flow Motor Options
- ◆ External Cross-Port Motor Protection
- ◆ Forged One-Piece Spindle
- ◆ Greaseable Direct Drive
- ◆ No Case Drain Required



SCAN TO
LEARN
MORE.



Reinforced steel deck provides strength and durability



60" unit features three double-sided blades on a 3/4" thick blade carrier



72" unit features four double-sided blades on a 3/4" thick blade carrier

PART NO.	103016	103025	103017	103030	103032	203028-KIT	203027E-KIT
MODEL	100CC Standard Flow	200CC Standard Flow	200CC High Flow	200CC High Flow	250CC High Flow	60" Extreme Duty Blade Kit (3 Blades w/Hardware)	72" Extreme Duty Blade Kit (4 Blades with Hardware)
FLOW RANGE	14-22 GPM	16-26 GPM	23-40 GPM	27-35 GPM	36-45 GPM	—	—
CUT WIDTH	60"	72"	60"	72"	72"	—	—
WEIGHT	1,232 lbs	1,560 lbs	1,296 lbs	1,607 lbs	1,633 lbs	31 lbs	51 lbs



60" & 72"

CUTTING
WIDTH

6" to 8"

CUTTING
DIAMETER

14-45

GPM
FLOW

EXTREME DUTY CLOSED FRONT



KEY FEATURES


- ◆ Std and High Flow Motor Options
- ◆ External Cross-Port Motor Protection
- ◆ Forged One-Piece Spindle
- ◆ Greaseable Direct Drive
- ◆ No Case Drain Required




SCAN TO
LEARN
MORE.



Reinforced steel deck that stands up to a heavy workload



60" unit features three double-sided blades on a 3/4" thick blade carrier



72" unit features four double-sided blades on a 3/4" thick blade carrier

PART NO.	103015	103020	103023	103024	203028-KIT	203027E-KIT
MODEL	100CC Standard Flow	160CC Standard Flow	200CC High Flow	250CC High Flow	60" Extreme Duty Blade Kit (3 Blades w/Hardware)	72" Extreme Duty Blade Kit (4 Blades with Hardware)
FLOW RANGE	14-22 GPM	16-26 GPM	27-35 GPM	36-45 GPM	—	—
CUT WIDTH	60"	72"	72"	72"	—	—
WEIGHT	1,289 lbs	1,589 lbs	1,653 lbs	1,690 lbs	31 lbs	51 lbs



72"

CUTTING
WIDTH


4"

CUTTING
DIAMETER

15-22

GPM
FLOW

HEAVY DUTY OPEN FRONT




KEY FEATURES

- ◆ Std Flow Motor
- ◆ Reinforced Steel Deck
- ◆ Bi-Directional Cutting
- ◆ Oil-Filled Direct Drive
- ◆ No Case Drain Required



SCAN TO
LEARN
MORE.



Fully protected drive seal



Heavy-duty push bar
for operator safety



Three drop-down blades
on 3/4" Steel Blade Carrier

PART NO.	103011	203055-KIT	203027H-KIT
MODEL	72" Heavy Duty Open Front Brush Cutter (130CC)	72" Heavy Duty Rear Chain Curtain Kit	72" Heavy Duty Blade Kit (3 Blades with Hardware)
FLOW RANGE	15-22 GPM	—	—
CUT WIDTH	72"	—	—
WEIGHT	1,370 lbs	15 lbs	38 lbs



60" & 72"

CUTTING
WIDTH


3"

CUTTING
DIAMETER

11-26

GPM
FLOW

HEAVY DUTY CLOSED FRONT



KEY FEATURES

- ◆ 3 Std Flow Motor Options
- ◆ Reinforced Steel Deck
- ◆ Bi-Directional Cutting
- ◆ Greaseable Direct Drive
- ◆ No Case Drain Required



SCAN TO
LEARN
MORE.



Tapered skid shoes that allows for a closer cut



Four link rear chain curtain protects operator from debris



Three double-sided dropdown blades and steel blade carrier

PART NO.	103004	103007	103012	203028-KIT	203027-KIT
MODEL	80CC	100CC	160CC	60" Blade Kit (3 Blades with Hardware)	72" Blade Kit (3 Blades with Hardware)
FLOW RANGE	11-26 GPM	16-20 GPM	19-26 GPM	—	—
CUT WIDTH	60"	60"	72"	—	—
WEIGHT	1,091 lbs	1,069 lbs	1,333 lbs	31 lbs	38 lbs



84"

CUTTING
WIDTH


3"

CUTTING
DIAMETER

15-30

GPM
FLOW

DUAL MOTOR




KEY FEATURES

- ◆ Two Motor Options
- ◆ Integrated Steel Push Bar
- ◆ Bi-Directional Cutting
- ◆ Greaseable Direct Drive
- ◆ Case Drain Required




SCAN TO
LEARN
MORE.



Two adjustable height wheels to go over uneven terrain



Four link rear chain curtains protect operator from debris



Four double-sided blades with two 1" thick blade carriers to clear large areas fast

PART NO.	103920	103930	2030284-KIT
MODEL	80CC	125CC	84" Blade Kit (4 Blades with Hardware)
FLOW RANGE	15-22 GPM	23-30 GPM	—
CUT WIDTH	84"	84"	—
WEIGHT	1,911 lbs	1,911 lbs	44 lbs


44"
**CUTTING
WIDTH**
4"
**CUTTING
DIAMETER**
14-30
**GPM
FLOW**

SWING ARM



KEY FEATURES

- ◆ High Torque Motor w/Cross-Port Relief
- ◆ Horizontal Reach 8', Vertical Reach 16'
- ◆ Universal 7/8/14 Pin Wiring Harness Compatibility
- ◆ Case Drain Required



3" x 16" tilt cylinder



8' horizontal and 16' vertical reach advantage



Two double-sided blades on a 5/8" thick blade carrier



**SCAN TO
LEARN
MORE.**

PART NO.	103870	103875	203872-KIT
MODEL	44"	44"	44" Swing Arm Blade Kit (2 Blades with Hardware)
FLOW RANGE	14-20 GPM	17-30 GPM	—
CUT WIDTH	44"	44"	—
WEIGHT	1,203 lbs	1,203 lbs	17 lbs



60"

CUTTING
WIDTH

7"

CUTTING
DIAMETER

24-55

GPM
FLOW

38K-60K

HOST
MACHINE

SEVERE DUTY




KEY FEATURES

- ◆ 3 Piston Motor Options
- ◆ Bearing Seal Protection Under Deck
- ◆ Cutaway Deck Design
- ◆ 1/2" Reinforced Steel Deck
- ◆ Case Drain Required
- ◆ 24" x 24" Mount Plate




SCAN TO
LEARN
MORE.



Removable sides
to access blades



Serrated teeth to help
move debris



Three dropdown blades on
a 1" thick blade carrier

PART NO.	303860	303865	303867	203029-KIT
MODEL	150CC	200CC	250CC	60" Blade Kit (3 Blades with Hardware)
FLOW RANGE	24-34 GPM	35-45 GPM	45-55 GPM	—
CUT WIDTH	60"	60"	60"	—
WEIGHT	2,497 lbs	2,497 lbs	2,497 lbs	44 lbs



60" CUTTING WIDTH


6" CUTTING DIAMETER

22-30 GPM FLOW

28K-38K HOST MACHINE

EXCAVATOR

EXTREME DUTY



KEY FEATURES

- ◆ 150CC High Flow Piston Motor
- ◆ Greaseable Direct Drive
- ◆ Bearing Seal Protection Under Deck
- ◆ Cutaway Deck Design
- ◆ Case Drain Required
- ◆ 24" x 24" Mount Plate



**SCAN TO
LEARN
MORE.**



Removable sides to access blades



Serrated teeth to help move debris



Three dropdown blades on a 1" thick blade carrier

PART NO.	103850	203028-KIT
MODEL	150CC	60" Blade Kit (3 Blades with Hardware)
FLOW RANGE	22-30 GPM	—
CUT WIDTH	60"	—
WEIGHT	1,790 lbs	31 lbs



42"

CUTTING
WIDTH

6"

CUTTING
DIAMETER

16-26

GPM
FLOW

10K-21K

HOST
MACHINE

SEVERE DUTY



MINI EXCAVATOR




KEY FEATURES

- ◆ 80CC High Torque Piston Motor
- ◆ Oil-Filled Direct Drive
- ◆ Cutaway Deck Design
- ◆ Bi-Directional Cutting
- ◆ No Case Drain Required
- ◆ 18" x 19" Mount Plate



**SCAN TO
LEARN
MORE.**



Open sides expose
blades for more
aggressive cutting



3/16" thick reinforced
steel deck



Three double-sided blades on
a 3/4" thick blade carrier

PART NO.	103820-2	203670-KIT
MODEL	80CC	42" Blade Kit (3 Blades with Hardware)
FLOW RANGE	16-26 GPM	—
CUT WIDTH	42"	—
WEIGHT	718 lbs	22 lbs



36"/42"/50"

CUTTING
WIDTH

4"

CUTTING
DIAMETER

13-28

GPM
FLOW

6K-19K

HOST
MACHINE

HEAVY DUTY



MINI EXCAVATOR

Greaseable Direct Drive

High Torque Hydraulic Motor

Skid Plate

Chain Curtain
on 50" Model

Reinforced Steel Deck

3 - Double-Sided AR400 Blades

3/4" Blade Carrier

KEY FEATURES

- ◆ 80CC and 100CC Motor Options
- ◆ 36", 42", and 50" Cutting Widths
- ◆ 50" Has Chain Curtain
- ◆ Bi-Directional Cutting
- ◆ No Case Drain Required
- ◆ 18" x 19" Mount Plate



**SCAN TO
LEARN
MORE.**



Three link chain curtain on
50" model to protect operator
from debris



36" and 42" have
deflector shields and
chain guard options



Three double-sided blades on
a 3/4" thick blade carrier

PART NO.	103600	103650	103709	103712	203620-KIT	203670-KIT	203720-KIT	203662-KIT	203665-KIT
MODEL	80CC	80CC	80CC	100CC	36" Blade Kit (3 Blades w/ Hardware)	42" Blade Kit (3 Blades w/ Hardware)	50" Blade Kit (3 Blades w/ Hardware)	36" Chain Guard Kit	42" Chain Guard Kit
FLOW RANGE	13-28 GPM	13-24 GPM	13-22 GPM	23-28 GPM	—	—	—	—	—
CUT WIDTH	36"	42"	50"	50"	—	—	—	—	—
WEIGHT	551 LBS	630 LBS	939 LBS	934 LBS	18 lbs	22 lbs	23 lbs	60 lbs	80 lbs



42" CUTTING WIDTH

4" CUTTING DIAMETER

11-20 GPM FLOW

OPEN FRONT

High Torque Hydraulic Motor

Greaseable Direct Drive

Push Bar

3 - Double-Sided Blades

3/4" Blade Carrier

Skid Plate

1/4" Reinforced Steel Deck

Tapered Deck

KEY FEATURES


- ◆ 80CC High Torque Geroler Motor
- ◆ Mini Universal and Bobcat MT Mounts Available
- ◆ Bi-Directional Cutting
- ◆ Open Front Design



**SCAN TO
LEARN
MORE.**



Open front exposes 2 1/4" of cutting blades



Three link chain on rear to protect the operator from debris



Three double-sided blades on a 3/4" thick blade carrier

PART NO.	103727-25	103727-26	203670-KIT
MODEL	80CC, w/Mini Universal Mount	80CC, w/Bobcat MT Mount	42" Blade Kit (3 Blades with Hardware)
FLOW RANGE	11-20 GPM	11-20 GPM	—
CUT WIDTH	42"	42"	—
WEIGHT	654 lbs	687 lbs	22 lbs



36"/42"/50"

**CUTTING
WIDTH**

4"

**CUTTING
DIAMETER**

11-20

**GPM
FLOW**

CLOSED FRONT



MINI SKID STEER

KEY FEATURES

- ◆ 80CC High Torque Geroler Motor
- ◆ Mini Universal and Bobcat MT Mounts Available
- ◆ Bi-Directional Cutting
- ◆ Closed Front Design



**SCAN TO
LEARN
MORE.**



Fully enclosed cover protects the motor from flying debris



Four link chain curtain on the front and three link chain on rear



Three double-sided blades on a 3/4" thick blade carrier

PART NO.	103715-25	103715-26	103725-25	103725-26	103735-25	103735-26	303722-25
MODEL	80CC	80CC	80CC	80CC	80CC	80CC	80CC
FLOW RANGE	11-20 GPM	11-20 GPM	11-20 GPM	11-20 GPM	11-20 GPM	11-20 GPM	11-20 GPM
MOUNT	Mini Uni	Bobcat MT	Mini Uni	Bobcat MT	Mini Uni	Bobcat MT	Mini Uni
CUT WIDTH	36"	36"	42"	42"	50"	50"	42"
WEIGHT	568 lbs	586 lbs	654 lbs	679 lbs	844 lbs	895 lbs	650 lbs

203620-KIT
36" Blade Kit (3 Blades w/Hardware), 18 lbs
203670-KIT
42" Blade Kit (3 Blades w/Hardware), 22 lbs
203720-KIT
50" Blade Kit (3 Blades w/Hardware), 23 lbs



PARTS & ACCESSORIES WHEN YOU NEED THEM




SAFETY WINDOWS



AUGER BITS



BREAKER TOOLS



PALLET FORK TINES



BLADE KITS



BROOM WAFERS



WIRE HARNESSES

IN STOCK & READY TO SHIP

Blue Diamond® Attachments is a U.S.-based, family-owned manufacturer that specializes in high-performance attachments for compact equipment used in construction, agriculture, landscaping, and municipal operations. The company offers a full line of brush cutters and complementary attachments designed for skid steers, mini skid steers, excavators, and tractors.



**BUILT STRONG.
ATTACHED FOR LIFE.**

4512 Anderson Road | Knoxville, TN 37918
ph 888-376-7027 | fax 865-246-2007
info@bluediamondattachments.com



© 2026 Blue Diamond Attachments.
All Rights Reserved. 05/06/2026



Scan to visit
bluediamondattachments.com