

BLUE DIAMOND ATTACHMENTS PRODUCT OVERVIEW



**BUILT STRONG.
ATTACHED FOR LIFE.**

BLUEDIAMONDATTACHMENTS.COM





FORESTRY & LAND CLEARING

BRUSH CUTTERS

SEVERE DUTY




72" CUTTING WIDTH
10" CUTTING DIAMETER
16-45 GPM FLOW

FOUR DOUBLE-SIDED BLADES

EXTREME DUTY OPEN/CLOSED FRONT




72" FOUR DOUBLE-SIDED BLADES



60" THREE DOUBLE-SIDED BLADES

60"/72" CUTTING WIDTH
6" to 8" CUTTING DIAMETER
14-45 GPM FLOW

HEAVY DUTY OPEN FRONT



THREE DOUBLE-SIDED BLADES

72" CUTTING WIDTH
4" CUTTING DIAMETER
15-22 GPM FLOW



HEAVY DUTY CLOSED FRONT



60"/72" CUTTING WIDTH
3" CUTTING DIAMETER
11-26 GPM FLOW

THREE DOUBLE-SIDED BLADES

DUAL MOTOR



FOUR DOUBLE-SIDED BLADES

84" CUTTING WIDTH
3" CUTTING DIAMETER
15-30 GPM FLOW

SWING ARM



TWO DOUBLE-SIDED BLADES

44" CUTTING WIDTH
4" CUTTING DIAMETER
14-30 GPM FLOW

EXCAVATOR SEVERE DUTY



60" CUTTING WIDTH
7" CUTTING DIAMETER
24-55 GPM FLOW
38K-60K HOST MACHINE

THREE DOUBLE-SIDED BLADES

MINI EXCAVATOR SEVERE DUTY



THREE DOUBLE-SIDED BLADES

42" CUTTING WIDTH
6" CUTTING DIAMETER
16-26 GPM FLOW
10K-21K HOST MACHINE

MINI OPEN FRONT



THREE DOUBLE-SIDED BLADES

42" CUTTING WIDTH
4" CUTTING DIAMETER
11-20 GPM FLOW



EXCAVATOR EXTREME DUTY



60" CUTTING WIDTH
6" CUTTING DIAMETER
22-30 GPM FLOW
28K-38K HOST MACHINE

THREE DOUBLE-SIDED BLADES

MINI EXCAVATOR HEAVY DUTY



THREE DOUBLE-SIDED BLADES

36"/42"/50" CUTTING WIDTH
4" CUTTING DIAMETER
13-28 GPM FLOW
6K-19K HOST MACHINE



MINI CLOSED FRONT



THREE DOUBLE-SIDED BLADES

36"/42"/50" CUTTING WIDTH
4" CUTTING DIAMETER
11-20 GPM FLOW



FORESTRY & LAND CLEARING


DISC & DRUM MULCHERS



34-TOOTH DRUM W/BITE LIMITER DRUM & CARBIDE OR CHIPPING TEETH

60" CUTTING WIDTH
10" CUTTING DIAMETER
35-52 GPM FLOW


SEVERE DUTY DRUM MULCHER



CARBIDE OR CHIPPING TEETH WITH BITE LIMITERS

60" CUTTING WIDTH
7" CUTTING DIAMETER
22-46 GPM FLOW

HEAVY DUTY DRUM MULCHER



TEETH ON TOP, SIDE, AND BOTTOM OF CARRIER W/ CARBIDE OR CHIPPING TEETH

44"/60" CUTTING WIDTH
8" to 14" CUTTING DIAMETER
20-45 GPM FLOW

DISC MULCHER



SDX DRUM MULCHER



HYDRAULIC ADJUSTABLE GATE

60" CUTTING WIDTH
12" CUTTING DIAMETER
45-58 GPM FLOW
49K-70K HOST MACHINE



SEVERE DUTY DRUM MULCHER



HYDRAULIC ADJUSTABLE GATE

40"/50" CUTTING WIDTH
8" CUTTING DIAMETER
37-48 GPM FLOW
37K-49K HOST MACHINE



EXTREME DUTY DRUM MULCHER



HYDRAULIC ADJUSTABLE GATE

40"/50" CUTTING WIDTH
7" CUTTING DIAMETER
32-45 GPM FLOW
24K-37K HOST MACHINE



HEAVY DUTY DRUM MULCHER



MANUAL ADJUSTABLE GATE

30"/40"/50" CUTTING WIDTH
4" CUTTING DIAMETER
11-35 GPM FLOW
9K-24K HOST MACHINE





MATERIAL HANDLING

BUCKETS

4-IN-1



36" to 84" CUTTING WIDTH
2 HYDRAULIC CYLINDERS
Tooth & Smooth CUTTING EDGE




UTILITY – HIGH CAPACITY



72" to 96" CUTTING WIDTH
19-26 cu.ft. STRUCK CAPACITY
Tooth & Smooth CUTTING EDGE




HEAVY DUTY MINI LOW PROFILE



OPTIONAL BOLT-ON EDGE

36"/44"/52" CUTTING WIDTH
20" BACK HEIGHT
Smooth CUTTING EDGE

DISPENSING



STANDARD CHUTE OR HYDRAULIC DOOR



1/2" & 3/4" BUCKET CAPACITY

GRAPPLES

HDX GRAPPLE BUCKET



75 HP +

72" WORKING WIDTH
32" OPENING HEIGHT
1/2" TOP TINE THICKNESS



SEVERE DUTY GRAPPLE BUCKET



75 HP +

60" to 84" WORKING WIDTH
34 1/4" OPENING HEIGHT
3/4" TOP TINE THICKNESS

ROOT GRAPPLES

HDX



up to 75 HP

72" WORKING WIDTH
32" OPENING HEIGHT
1/2" TOP TINE THICKNESS



SEVERE DUTY

66" to 84" WORKING WIDTH
34" OPENING HEIGHT
1/2" TOP TINE THICKNESS



50 HP +



MINI



up to 50 HP

36" to 50" WORKING WIDTH
36" OPENING HEIGHT
5/16" STEEL TINE THICKNESS



ROCK BUCKET GRAPPLES

HDX



up to 75 HP

72" WORKING WIDTH
32" OPENING HEIGHT
1/2" TOP TINE THICKNESS



SEVERE DUTY

72"/78"/84" WORKING WIDTH
34 1/4" OPENING HEIGHT
1/2" STEEL TINE THICKNESS



HEAVY DUTY



up to 50 HP

66"/72"/78" WORKING WIDTH
32" OPENING HEIGHT
3/8" STEEL TINE THICKNESS



SEVERE DUTY GRAPPLE RAKE



65 HP +

72"/78"/84" WORKING WIDTH
58" OPENING HEIGHT
3/4" STEEL TINE THICKNESS



HEAVY DUTY GRAPPLE RAKE



up to 65 HP

63"/72"/84" WORKING WIDTH
51" OPENING HEIGHT
1/2" STEEL TINE THICKNESS





MATERIAL HANDLING

FORKS & GRAPPLES

WALK-THROUGH PALLET FORK



48" & 72" TINE
LENGTH
5,000^{lb} LIFT
CAPACITY



WALK-THROUGH CLASS 3 PALLET FORK



48" to 96" TINE
LENGTH
10,000^{lb} LIFT
CAPACITY

SEVERE DUTY HYDRAULIC PALLET FORK



48" & 72" TINE
LENGTH
6,000^{lb} LIFT
CAPACITY

HEAVY DUTY HYDRAULIC PALLET FORK



48" & 60" TINE
LENGTH
4,000^{lb} LIFT
CAPACITY



STANDARD & HEAVY DUTY PALLET FORKS



42" to 72" TINE
LENGTH
3,700^{lb} to 5,000^{lb} LIFT
CAPACITY



LIGHT DUTY PALLET FORK



36"/42"/48" TINE
LENGTH
2,000^{lb} LIFT
CAPACITY



LOW PROFILE MINI FORK



36"/42"/48" TINE
LENGTH
3,000^{lb} LIFT
CAPACITY




MAT GRAPPLE FORK



48"/60"/72" TINE
LENGTH
4,000^{lb} LIFT
CAPACITY



GRAPPLE FORKS



HEAVY DUTY

SEVERE DUTY

48" to 84" TINE
LENGTH
4,000^{lb} to 10,000^{lb} LIFT
CAPACITY



LOG GRAPPLE



63" OPENING
WIDTH
2,500^{lb} LIFT
CAPACITY

MANUAL & HYDRAULIC ROTATION



SEVERE DUTY MAT GRAPPLE FORK



48" to 72" TINE
LENGTH
10,000^{lb} LIFT
CAPACITY



CONCRETE & ASPHALT

COLD PLANERS & PLATE COMPACTORS

EXTREME DUTY COLD PLANER



WATER KIT
AVAILABLE

14" to 48" WORKING
WIDTH
up to 5" CUTTING
DEPTH
12-50 GPM
FLOW



MINI EX COLD PLANER



12"/16" WORKING
WIDTH
up to 5" CUTTING
DEPTH
12-29 GPM
FLOW



EXCAVATOR PLATE COMPACTOR

PLATE SIZES:
12"W X 24"L
16"W X 32"L
24"W X 48"L



12"/16"/24" WORKING
WIDTH
5K-42K HOST
MACHINE
10-44 GPM
FLOW



BROOMS & VIBRATORY ROLLERS

PICKUP BROOM



WATER KIT
AVAILABLE

42" to 96" WORKING
WIDTH
26" BRISTLES
DIAMETER
15-25 GPM
FLOW



PUSH BROOMS




STANDARD, HEAVY DUTY & MINI

60" to 96" WORKING
WIDTH
8-11 ROWS OF
BRISTLES



SEVERE DUTY ANGLE BROOM



60" to 96" WORKING
WIDTH
32" BRISTLES
DIAMETER
30° PIVOT
ANGLE



HEAVY DUTY ANGLE BROOM



48" to 96" WORKING
WIDTH
26" BRISTLES
DIAMETER
30° PIVOT
ANGLE



VIBRATORY ROLLER



84" WORKING
WIDTH
24" & 26 3/4" DRUM
DIAMETER
SMOOTH OR PADFOOT MODELS



BREAKERS & ROAD SAWS


HYDRAULIC BREAKER



1,500^{lb}-110,000^{lb} CARRIER
WEIGHT
100-7,000 FT/LB ENERGY
CLASS
7-75 GPM
FLOW (MAX)
12 MODELS AVAILABLE



MINI BREAKER



1,500^{lb}-9,900^{lb} CARRIER
WEIGHT
100-500 FT/LB ENERGY
CLASS
7-16 GPM
FLOW (MAX)



EXTREME DUTY ROAD SAW



6" to 24" CUTTING
DEPTH
2" to 8" CUTTING
WIDTH
27-45 GPM
FLOW (MAX)





FARM & AGRICULTURE

ROTARY TRACTOR CUTTERS & HAY SPEARS



½" X 4" HEAT-TREATED BLADES

MEDIUM DUTY



7' CUTTING WIDTH
2" CUTTING DIAMETER
45-90^{hp} HOST MACHINE

STANDARD DUTY



½" X 3" HEAT-TREATED BLADES

4'/5'/6' CUTTING WIDTH
1" CUTTING DIAMETER
18-60^{hp} HOST MACHINE



SPINDLE CUTTER HEAVY DUTY LIFT-TYPE



REPLACEABLE WEAR SKIDS


8' & 10' CUTTING WIDTH
3" CUTTING CAPACITY
42+ & 52+^{hp} HOST MACHINE



EASY LEVELING ADJUSTMENT




FLEX-WING ROTARY CUTTERS



12' & 15' CUTTING WIDTH
2" & 4" CUTTING CAPACITY
35+ & 55+^{hp} HOST MACHINE (MINIMUM)



HAY SPEARS



BOLT-ON RACK AVAILABLE

3,500^{lb} TINE RATING (EACH)

SINGLE, DOUBLE & QUAD SPEARS AVAILABLE

TRACTOR MOWERS



THREE OVERLAPPING HEAT TREATED BLADES



FINISHING MOWER



48" to 84" CUTTING WIDTH
1" to 4" CUTTING HEIGHT
20-50^{hp} HOST MACHINE



FLAIL MOWER



FORGED HAMMER BLADES

69" to 98" CUTTING WIDTH
1½" CUTTING CAPACITY
40-100^{hp} HOST MACHINE



FARM & AGRICULTURE

LAND GRADERS & BLADES

HEAVY DUTY LAND GRADER



OPTIONAL LASER KIT

84" WORKING WIDTH
19" BOX HEIGHT
55+hp HOST MACHINE



SIX-WAY DOZER BLADE



72"/84"/96" WORKING WIDTH
10°/30° TILT/ANGLE
50+hp HOST MACHINE

HEAVY DUTY BOX BLADE SCRAPER



72" & 84" WORKING WIDTH
17" MOLDBOARD HEIGHT
30-70hp HOST MACHINE

ROTOTILLERS

ROTOTILLER



68"/76" WORKING WIDTH
6"/8" TILLING DEPTH
15-23 GPM FLOW

MINI ROTOTILLER



48"/56" WORKING WIDTH
6" TILLING DEPTH
12 GPM FLOW (MIN)

TRACTOR ROTOTILLER



48"/60"/72"/84" WORKING WIDTH
up to 8" TILLING DEPTH
20-65hp HOST MACHINE

MOUNTS

3-POINT CONVERSION ADAPTER



Cat 1 & 2 ADAPTER OPTIONS

UNIVERSAL MOUNT PLATE



1/4" & 1/2" PLATE THICKNESS

TRAILER SPOTTER



3,500^{lb} MAX CAPACITY
2" TRAILER HITCH SIZE

CONVERSION INTERFACE



Deere 400/500 HOST MACHINE
Skid Steer ATTACHMENT MOUNT



LANDSCAPING & CONSTRUCTION

TRENCHERS & NURSERY FORKS

SEVERE DUTY TRENCHER



DIRT/ROCK/COMBO CHAINS
AVAILABLE FOR 6" - 12"
CUTTING WIDTHS



60" CUTTING
DEPTH
28-45 GPM
FLOW

EXTREME DUTY TRENCHER

DIRT/ROCK/COMBO CHAINS
AVAILABLE FOR 6" - 12"
CUTTING WIDTHS



48" CUTTING
DEPTH
16-30 GPM
FLOW

MINI TRENCHER



DIRT/ROCK/COMBO CHAINS
AVAILABLE FOR 4" - 8"
CUTTING WIDTHS
36" CUTTING
DEPTH
10-25 GPM
FLOW

SOD ROLLER



36"/42"/50" WORKING
WIDTH
32"/40" ARMS
LENGTH



NURSERY FORKS



SEVERE DUTY

STANDARD DUTY



43"/54"/60" OPENING
HEIGHT
2,500^{lb} & 3,000^{lb} LIFT
CAPACITY

TREE BOOMS

SEVERE DUTY TREE BOOM



78" OVERALL
LENGTH
59" ADDED
REACH
6,000^{lb} LIFT
CAPACITY

HEAVY DUTY TREE BOOM



75" OVERALL
LENGTH
56" ADDED
REACH
5,000^{lb} LIFT
CAPACITY

MINI TREE BOOM



60" OVERALL
LENGTH
48" ADDED
REACH
2,500^{lb} LIFT
CAPACITY

STUMP BUCKETS & TREE REMOVAL

STUMP BUCKET



56" OVERALL
LENGTH
12" OVERALL
WIDTH
3 REPLACEABLE
TEETH

HEAVY DUTY TREE PULLERS



11" OPENING
WIDTH
4 ROWS OF
TEETH
8" MAX TREE
DIAMETER

TREE SHEAR



12" MAX TREE
DIAMETER
29 CUTTING
FORCE (TONS)



LANDSCAPING & CONSTRUCTION

POWER RAKES & ROCK RAKES

EXTREME DUTY POWER RAKE



STEEL OR
CARBIDE TEETH
AVAILABLE

72" to 96"

WORKING
WIDTH

35"

OVERALL
HEIGHT

15-26

GPM
FLOW

MANUAL & HYDRAULIC ANGLE



HEAVY DUTY POWER RAKE



STEEL OR
CARBIDE TEETH
AVAILABLE

48"/60"/72"

WORKING
WIDTH

7"

DRUM
DIAMETER

15-24

GPM
FLOW

MANUAL & HYDRAULIC ANGLE



HYDRAULIC ROCK RAKE



68"

WORKING
WIDTH

3/4" to 8"

DEBRIS
SIZE

13-23

GPM
FLOW



AUGERS & VIBRATORY POST DRIVERS

EXTREME DUTY AUGER



3,500psi

MAX
PRESSURE

2" & 2 1/2"

HEX
SHAFT

6-36

GPM
FLOW

8 MODELS AVAILABLE



AUGER BITS & EXTENSIONS



HEAVY DUTY BITS



HEAVY DUTY BITS W/CAST HEADS




FIXED
EXTENSION



VARIABLE
EXTENSION



ROCK BITS



TREE BITS

Auger bits, auger extensions, and adapters are available to suit different ground conditions and drilling applications

VIBRATORY POST DRIVER



4" to 12"

POST
ADAPTERS

7-26

GPM
FLOW



STUMP GRINDERS

EXTREME DUTY STUMP GRINDER

6-WAY
CUTTER



6 MOTOR
OPTIONS

24"/26"

CUTTING
WHEEL

24/30

NO. OF
TEETH

16-45

GPM
FLOW

HIGH & STANDARD FLOW



SWING ARM STUMP GRINDER



3 MOTOR
OPTIONS

26"

CUTTING
WHEEL

32

NO. OF
TEETH

29-45

GPM
FLOW



MINI STUMP GRINDER



24"

CUTTING
WHEEL

24

NO. OF
TEETH

16-20

GPM
FLOW





SNOW ATTACHMENTS

SNOW BLOWERS & PUSHERS

SNOW BLOWERS



HEAVY DUTY



EXTREME DUTY

62" to 96"
31" & 32"
14-40

WORKING
WIDTH
HOUSING
HEIGHT
GPM
FLOW



SNOW PUSHERS



STANDARD DUTY



HEAVY DUTY


42" to 120"
35"

AVAILABLE
WIDTHS
MOLDBOARD
HEIGHT



SNOW BLADES

AUTOWING SNOW PLOW BLADE



103"
29"
25°

WORKING
WIDTH
BLADE
HEIGHT
PIVOT
ANGLE



MULTI-PURPOSE BLADES



HEAVY DUTY



STANDARD DUTY

48" to 120"
22"/28"
30°

WORKING
WIDTH
BLADE
HEIGHT
PIVOT
ANGLE



SNOW & MULCH BUCKETS

HIGH BACK BUCKET



60" to 102"

WIDTHS
AVAILABLE

STANDARD OR HEAVY DUTY



1-YARD BUCKET



48" & 60"

WIDTHS
AVAILABLE

3/16" & 1/4"

METAL
WRAP



STANDARD & HEAVY DUTY BUCKET



60" to 102"

WIDTHS
AVAILABLE

3/16" & 1/4"

METAL
WRAP





PARTS & ACCESSORIES WHEN YOU NEED THEM




SAFETY WINDOWS



AUGER BITS



BREAKER TOOLS



PALLET FORK TINES



BLADE KITS



BROOM WAFERS



WIRE HARNESSSES

IN STOCK & READY TO SHIP

Blue Diamond® Attachments is a U.S.-based, family-owned manufacturer that specializes in high-performance attachments for compact equipment used in construction, agriculture, landscaping, and municipal operations. The company offers a full line of brush cutters and complementary attachments designed for skid steers, mini skid steers, excavators, and tractors.



**BUILT STRONG.
ATTACHED FOR LIFE.**

4512 Anderson Road | Knoxville, TN 37918
ph 888-376-7027 | fax 865-246-2007
info@bluediamondattachments.com



© 2026 Blue Diamond® Attachments.
All Rights Reserved. 05/19/2026



Scan to visit
bluediamondattachments.com